

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                                         |                          |                   |
|---------------------------|-----------------------------------------|--------------------------|-------------------|
| <b>Date Reported:</b>     | 1/5/2025                                | <b>Sample ID:</b>        | 20241227-FALL-011 |
| <b>Client Name:</b>       | HV Ag Corporation, dba High Falls Canna | <b>Sample Name:</b>      | G13               |
| <b>Sampling Location:</b> | Accord, New York                        | <b>Sample Matrix:</b>    | Flower            |
| <b>Contact Name:</b>      | Rick Weissman                           | <b>Sample Sub Type:</b>  | Flower            |
| <b>Contact Email:</b>     | rick@highfallsextracts.com              | <b>Package ID:</b>       |                   |
| <b>License Number:</b>    | OCM-CULT-24-000054                      | <b>Batch Lot ID:</b>     | 24-F0001-3        |
| <b>Medical/Adult Use:</b> | Adult Use                               | <b>Batch Size:</b>       | 10000             |
| <b>Sampling Date:</b>     | 12/27/2024 09:40:00 AM                  | <b>Serving Size (g):</b> | 1                 |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>-</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>P</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: G13 (20241227-FALL-011)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.250       |
| CBDA      | < MRL  | < MRL      | 0.250       |
| CBGA      | 1.896  | 18.960     | 0.250       |
| CBG       | < MRL  | < MRL      | 0.250       |
| CBD       | < MRL  | < MRL      | 0.250       |
| THCV      | < MRL  | < MRL      | 0.250       |
| CBN       | < MRL  | < MRL      | 0.250       |
| D9-THC    | 1.240  | 12.397     | 0.250       |
| D8-THC    | < MRL  | < MRL      | 0.250       |
| D10-THC-S | < MRL  | < MRL      | 0.250       |
| D10-THC-R | < MRL  | < MRL      | 0.250       |
| CBC       | < MRL  | < MRL      | 0.250       |
| THCA      | 24.757 | 247.569    | 0.250       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #89994 | Date Tested: 01/02/2025 09:19 AM

| Potency Summary                                                                            | % w/w  | mg/serving |
|--------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 22.951 | 229.515    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 27.893 | 278.926    |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: G13 (20241227-FALL-011)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.35           | 0.05        |
| Camphene            | < MRL          | 0.05        |
| Sabinene            | < MRL          | 0.05        |
| beta-Pinene         | 0.12           | 0.05        |
| beta-Myrcene        | 0.74           | 0.05        |
| Alpha-phellandrene  | < MRL          | 0.05        |
| Carene              | < MRL          | 0.05        |
| alpha-terpinene     | < MRL          | 0.05        |
| p-Cymene            | < MRL          | 0.05        |
| Limonene            | 0.30           | 0.05        |
| Eucalyptol          | < MRL          | 0.05        |
| Ocimene             | 0.07           | 0.04        |
| gamma-Terpinene     | < MRL          | 0.05        |
| Sabinene Hydrate    | < MRL          | 0.05        |
| Terpinolene         | < MRL          | 0.05        |
| Linalool            | 0.09           | 0.05        |
| Fenchol             | < MRL          | 0.05        |
| Menthol             | < MRL          | 0.05        |
| Terpineol           | < MRL          | 0.05        |
| Citronellol         | < MRL          | 0.05        |
| Isopulegol          | < MRL          | 0.05        |
| Geraniol            | < MRL          | 0.05        |
| Alpha-cedrene       | 0.07           | 0.04        |
| Beta-Caryophyllene  | 0.44           | 0.05        |
| Farnesene           | 0.15           | 0.05        |
| alpha-Humulene      | 0.20           | 0.05        |
| Valencene           | < MRL          | 0.05        |
| cis-Nerolidol       | 0.04           | 0.02        |
| trans-Nerolidol     | < MRL          | 0.03        |
| Caryophyllene oxide | < MRL          | 0.05        |
| Guaiol              | 0.13           | 0.05        |
| alpha-Bisabolol     | < MRL          | 0.05        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #90001 | Date Tested: 01/05/2025 12:50 PM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 2.70   | 10    | PASS      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: G13 (20241227-FALL-011)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.250      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.050      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.20         | 0.050      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.250      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #90000 | Date Tested: 01/05/2025 12:50 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: G13 (20241227-FALL-011)                                                                       |           |               |                                                    |            | PASS |
|-----------------------------------------------------------------------------------------------------------|-----------|---------------|----------------------------------------------------|------------|------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA) |           |               |                                                    |            |      |
| Analyte                                                                                                   | Pass/Fail | Result (µg/g) | Limit (µg/g)                                       | MRL (µg/g) |      |
| Ochratoxin                                                                                                | PASS      | < MRL         | 0.02                                               | 0.010      |      |
| Total Aflatoxins                                                                                          | PASS      | < MRL         | 0.02                                               | 0.010      |      |
| MRL = Minimum reporting limit/limit of quantification                                                     |           |               | Test ID: #89999   Date Tested: 01/05/2025 04:13 PM |            |      |

| Heavy Metals: G13 (20241227-FALL-011)                                                                         |           |               |                                                    |            | PASS |
|---------------------------------------------------------------------------------------------------------------|-----------|---------------|----------------------------------------------------|------------|------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA) |           |               |                                                    |            |      |
| Analyte                                                                                                       | Pass/Fail | Result (µg/g) | Limit (µg/g)                                       | MRL (µg/g) |      |
| Chromium                                                                                                      | PASS      | < MRL         | 110.0                                              | 8.00       |      |
| Nickel                                                                                                        | PASS      | 1.616         | 5.0                                                | 1.00       |      |
| Copper                                                                                                        | PASS      | 14.998        | 30.0                                               | 8.00       |      |
| Arsenic                                                                                                       | PASS      | < MRL         | 0.2                                                | 0.10       |      |
| Cadmium                                                                                                       | PASS      | 0.185         | 0.2                                                | 0.10       |      |
| Antimony                                                                                                      | PASS      | < MRL         | 2.0                                                | 1.00       |      |
| Mercury                                                                                                       | PASS      | < MRL         | 0.1                                                | 0.05       |      |
| Lead                                                                                                          | PASS      | < MRL         | 0.5                                                | 0.20       |      |
| MRL = Minimum reporting limit/limit of quantification                                                         |           |               | Test ID: #89996   Date Tested: 01/03/2025 08:04 AM |            |      |

| Microbiological Screen: G13 (20241227-FALL-011)                                                                              |           |                 |                                                    |             | PASS |
|------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------|----------------------------------------------------|-------------|------|
| Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY) |           |                 |                                                    |             |      |
| Analyte                                                                                                                      | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                      | MRL (CFU/g) |      |
| Total Aerobic Bacteria                                                                                                       | PASS      | 231000          | None                                               | 100         |      |
| Total Yeast & Mold                                                                                                           | PASS      | 20000           | None                                               | 100         |      |
| Salmonella spp                                                                                                               | PASS      | Absent          | Absent                                             | 1           |      |
| Shiga toxin-producing E. coli                                                                                                | PASS      | Absent          | Absent                                             | 1           |      |
| Aspergillus (fumigatus, flavus, niger, terreus)                                                                              | PASS      | Absent          | Absent                                             | 1           |      |
| MRL = Minimum reporting limit/limit of quantification                                                                        |           |                 | Test ID: #89997   Date Tested: 01/02/2025 08:14 AM |             |      |

| Moisture Content: G13 (20241227-FALL-011)                             |           |            |                                                    |  | PASS |
|-----------------------------------------------------------------------|-----------|------------|----------------------------------------------------|--|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                    |  |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                          |  |      |
| Moisture                                                              | PASS      | 12.8       | 15                                                 |  |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #89998   Date Tested: 01/02/2025 07:47 AM |  |      |

| Water Activity: G13 (20241227-FALL-011)                                          |           |                          |                                                    |  | PASS |
|----------------------------------------------------------------------------------|-----------|--------------------------|----------------------------------------------------|--|------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                          |                                                    |  |      |
| Analyte                                                                          | Pass/Fail | Result (a <sub>w</sub> ) | Limit (a <sub>w</sub> )                            |  |      |
| Water Activity                                                                   | PASS      | 0.55                     | 0.65                                               |  |      |
| MRL = Minimum reporting limit/limit of quantification                            |           |                          | Test ID: #90002   Date Tested: 01/02/2025 07:47 AM |  |      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Filth and Foreign Material: G13 (20241227-FALL-011)****PASS**

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

| Analyte                         | Results | Limit | Pass/Fail |
|---------------------------------|---------|-------|-----------|
| Foreign Material (other, % m/m) | ND      | 2     | PASS      |
| Foreign Material (stems, % m/m) | ND      | 5     | PASS      |
| Mammalian Excreta (mg/lb)       | ND      | 1     | PASS      |

ND = Not Detected

Test ID: #89995 | Date Tested: 01/02/2025 07:50 AM



Matthew Elmes  
Lab Director  
1/5/2025

**Deviations:** Heavy metals data associated with a laboratory control standard that was out of specification. Laboratory investigation conducted prior to reporting.

